


TRADE MORTAR

- ✓ Australian made pre-blended mortar
- ✓ M4 rated mortar - conforms to AS3700
- ✓ Consistent colour & strength
- ✓ Faster project turnaround without compromising quality

Build with Confidence

cementaustralia.com.au or call 1300 CEMENT (1300 236 368)





Cement Australia Trade Mortar is a quality assured pre-blended M4 bricklaying mortar mix conforming to Australian Standards – AS3700.

Trade Mortar is suitable for the laying of bricks, masonry blocks, stonework and general-purpose mortar applications.

The benefits of using Cement Australia Trade Mortar include:

- ✓ Consistent performance, strength and colour
- ✓ Consistent quality of cement, sand and additives, in the correct proportioning from batch to batch (conforms to AS3700)
- ✓ Eliminating quality control concerns from contamination of sand on site and raw material variability
- ✓ No batching errors by the labourer, decreasing reliance on on-site mortar preparation and eliminating rectification costs of out-of-spec mortar
- ✓ Eliminating varying moisture levels in loam which could cause colour variation
- ✓ Efficiency of mixing - only added water is needed, saving time and reducing potential for error

HOW TO USE



STEP 1 If using a concrete mixer, add clean water per the instructions on the bag to the mixing vessel. Empty the Trade Mortar blend into the water and mix thoroughly. Start with the minimum amount of water to achieve a workable mix. Do not exceed the recommended amount as too much water weakens the mortar strength.



OR if using a wheelbarrow, place the required amount of Trade Mortar into a wheelbarrow, plastic bucket or on a non-absorbent surface making a 'well' in the centre of the powder and add clean water per the instructions on the bag and mix thoroughly to obtain an even and consistent mix.



Too much water weakens mortar.

Only mix as much mortar as you can use within one (1) hour.



STEP 2 Apply the mix with a trowel. Allow the Trade Mortar to stiffen to touch dry before attempting to rake or finishing the mortar joints.

SPECIFICATIONS

- Covers 20 house bricks or 10 masonry blocks per 20kg bag (10mm mortar joint)

HOW MUCH DO I NEED?

Visit cementaustralia.com.au/calculators to use our handy product calculator to work out how much Trade Mortar you need for your project.

LIMITATIONS

Do not allow the mixed mortar to stand for an extended period of time, as re-tempering the mix with additional water will weaken the mortar. To view all product limitations, storage & handling tips please visit cementaustralia.com.au

Item Code 17877

Cement Australia
Trade Mortar 20kg



PRODUCT DISCLAIMER

Recommendations regarding the use of this product are to be taken as a guide only. If in doubt contact Cement Australia Pty Limited ("Cement Australia") or seek professional advice. To the extent permitted by law, Cement Australia excludes all implied warranties, conditions and guarantees imposed by legislation. Cement Australia excludes all liability for loss, damage or injury arising from use of the product (i) otherwise than in accordance with the recommendations or (ii) for purposes other than those for which it is ordinarily acquired. For all other loss, damage or injury arising from the use of this product, to the extent permitted by law Cement Australia's liability is limited, at its discretion, to refunding the cost of the product or resupplying the product or equivalent product.